

1/4





FIG. 1



The image shows a screenshot of the NetWall Configurator software interface. The main window is the Global Configurator (15), which includes a menu bar (File, Edit, Preferences, Configuration, Help) and a toolbar with various icons. The configuration pane shows sections for Resources (16), Users (17), ValidityPeriods (18), and NetWalls (19). The NetWalls section lists 'ANY', 'NW1', 'NW2', and 'NW3'. A sub-menu for 'NW1' is open, showing 'Name: NW1', 'Comment: Domain 1 NetWall', and buttons for 'OK' (20) and 'Cancel' (21). The Zones window (22) lists 'Actual' and 'Part A' (23) and 'Part B' (24) sections. The 'Actual' section shows zones: 'NW1' (Address: 111.111.111.111, Zone: I, External: false), 'NW1_dmz' (Address: 121.212.121.212, Zone: DMZ1, External: false), and 'NW1_backbone' (Address: 211.212.121.212, Zone: backbone, External: true). The 'Part A' and 'Part B' sections are currently empty. The Rule Composer window (25) is partially visible on the right, showing columns for Action, Name, User, Source, Destination, Services, Auth, Period, Log, Alert, R.Zone, Scope, and Comment, with buttons for OK (26), Delete (27), and Clear (28). A status bar at the bottom shows '16' and '29'.

FIG. 2






FIG. 4